

Within-Cases: Multivariate approach part two

pain1.data

```
      pain1  pain2  pain3  pain4  pain5  pain6
1       7.0    8.0    9.0   10.0    7.0    6.5
2       7.5    6.0    5.5    6.0    4.5    7.5
3       3.0    4.5    6.0    6.5    5.5    8.5
4       3.0    1.5    0.0    5.0    0.0    2.0
5       5.0    3.5    4.5    5.5    1.5    5.5
6       8.0    6.0    4.0    6.5    5.5    4.5
7       7.5    4.5    5.5    5.0    5.5    6.0
8       7.5    4.0    0.5    3.5    4.5    7.5
9       7.5    4.5    4.0    7.5    4.5    6.0
10      6.0    7.5    5.5    7.5    6.0    6.5

/* pain1.sas */
options linesize=79 pagesize=100 noovp formdlim='_' ;
title 'Multivariate repeated measures analysis of the pain data';

/*          Dose 1      Dose 2      Dose 3
-----  -----  -----
Drug 1    pain1      pain2      pain3
Drug 2    pain4      pain5      pain6           */

data ouch;
infile 'pain1.data' firstobs=2; /* Skip the labels */
input patient pain1-pain6;
Drug1 = mean(of pain1-pain3); Drug2 = mean(of pain4-pain6);
Dose1 = (pain1+pain4)/2; Dose2=(pain2+pain5)/2; Dose3 = (pain3+pain6)/2;
drugdiff = drug1-drug2;
dosed1 = dose1-dose2; dosed2 = dose2-dose3;
int1 = (pain1-pain4)-(pain2-pain5); int2 = (pain2-pain5)-(pain3-pain6);
d12 = pain1-pain2; d13 = pain1-pain3; d14 = pain1-pain4;
d15 = pain1-pain5; d16 = pain1-pain6; d23 = pain2-pain3;
d24 = pain2-pain4; d25 = pain2-pain5; d26 = pain2-pain6;
d34 = pain3-pain4; d35 = pain3-pain5; d36 = pain3-pain6;
d45 = pain4-pain5; d46 = pain4-pain6; d56 = pain5-pain6;
int3 = (pain1-pain4)-(pain3-pain6);

proc means n mean stddev;
var Drug1 -- Dose3  pain1-pain6;

proc reg;
title2 'Overall test';
model d12-d16 = ;
Overall: mtest intercept = 0;

proc reg;
title2 'Main Effect of Drug';
model drugdiff = ;
Drug: mtest intercept = 0;
/* Could have used test or just looked at the t statistic. */
```

```

proc reg;
  title2 'Main Effect of Dose Level';
  model dosed1 dosed2 = ;
  Dose: mtest intercept = 0;

proc reg;
  title2 'Drug by Dose Interaction';
  model int1 int2 = ;
  Drug_by_Dose: mtest intercept = 0;

proc means n mean t probt;
  title2 'Follow up with matched t-tests';
  var d12 -- d56 int1-int3;

proc glm;
  title2 'Two-factor within cases the easy way';
  model pain1-pain6 = ;
  repeated Drug 2, Dosage 3 / short summary mean;
  /* Factor on the right changes fastest (like numbers) */

proc glm;
  title2 'Overall test the easy way';
  model pain1-pain6 = ;
  repeated treatment / short summary mean;

```

Multivariate repeated measures analysis of the pain data

1

The MEANS Procedure

Variable	N	Mean	Std Dev
<hr/>			
Drug1	10	5.2166667	1.7586646
Drug2	10	5.6000000	1.5238839
Dose1	10	6.2500000	1.3743685
Dose2	10	4.7250000	1.9523846
Dose3	10	5.2500000	1.9257033
pain1	10	6.2000000	1.9032137
pain2	10	5.0000000	1.9293062
pain3	10	4.4500000	2.6294275
pain4	10	6.3000000	1.7826323
pain5	10	4.4500000	2.1272047
pain6	10	6.0500000	1.8173546
<hr/>			

Multivariate repeated measures analysis of the pain data
Overall test

2

The REG Procedure
Model: MODEL1
Dependent Variable: d12

Number of Observations Read	10
Number of Observations Used	10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	32.10000	3.56667		
Corrected Total	9	32.10000			
Root MSE		1.88856	R-Square	0.0000	
Dependent Mean		1.20000	Adj R-Sq	0.0000	
Coeff Var		157.38017			

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	1.20000	0.59722	2.01	0.0754

Multivariate repeated measures analysis of the pain data
Overall test

3

The REG Procedure

Model: MODEL1

Dependent Variable: d13

Number of Observations Read	10
Number of Observations Used	10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	77.12500	8.56944		
Corrected Total	9	77.12500			
Root MSE		2.92736	R-Square	0.0000	
Dependent Mean		1.75000	Adj R-Sq	0.0000	
Coeff Var		167.27779			

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	1.75000	0.92571	1.89	0.0913

Multivariate repeated measures analysis of the pain data
Overall test

4

The REG Procedure
Model: MODEL1
Dependent Variable: d14

Number of Observations Read 10
Number of Observations Used 10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	54.40000	6.04444		
Corrected Total	9	54.40000			
Root MSE		2.45855	R-Square	0.0000	
Dependent Mean		-0.10000	Adj R-Sq	0.0000	
Coeff Var		-2458.54519			

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	-0.10000	0.77746	-0.13	0.9005

Multivariate repeated measures analysis of the pain data
Overall test

5

The REG Procedure
Model: MODEL1
Dependent Variable: d15

Number of Observations Read 10
Number of Observations Used 10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	34.12500	3.79167		
Corrected Total	9	34.12500			

Root MSE	1.94722	R-Square	0.0000
Dependent Mean	1.75000	Adj R-Sq	0.0000
Coeff Var	111.26973		

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	1.75000	0.61577	2.84	0.0193

Multivariate repeated measures analysis of the pain data
Overall test

The REG Procedure
Model: MODEL1
Dependent Variable: d16

Number of Observations Read	10
Number of Observations Used	10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	48.52500	5.39167		
Corrected Total	9	48.52500			

Root MSE	2.32200	R-Square	0.0000
Dependent Mean	0.15000	Adj R-Sq	0.0000
Coeff Var	1547.99751		

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	0.15000	0.73428	0.20	0.8427

Multivariate repeated measures analysis of the pain data
Overall test

7

The REG Procedure
Model: MODEL1
Multivariate Test: Overall

Multivariate Statistics and Exact F Statistics

S=1 M=1.5 N=1.5

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.26024160	2.84	5	5	0.1381
Pillai's Trace	0.73975840	2.84	5	5	0.1381
Hotelling-Lawley Trace	2.84258317	2.84	5	5	0.1381
Roy's Greatest Root	2.84258317	2.84	5	5	0.1381

Multivariate repeated measures analysis of the pain data
Main Effect of Drug

8

The REG Procedure
Model: MODEL1
Dependent Variable: drugdiff

Number of Observations Read 10
Number of Observations Used 10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	7.11389	0.79043		
Corrected Total	9	7.11389			

Root MSE 0.88906 R-Square 0.0000
Dependent Mean -0.38333 Adj R-Sq 0.0000
Coeff Var -231.92934

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	-0.38333	0.28115	-1.36	0.2059

Multivariate repeated measures analysis of the pain data
Main Effect of Drug

9

The REG Procedure
Model: MODEL1
Multivariate Test: Drug

Multivariate Statistics and Exact F Statistics

S=1 M=-0.5 N=3.5

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.82880259	1.86	1	9	0.2059
Pillai's Trace	0.17119741	1.86	1	9	0.2059
Hotelling-Lawley Trace	0.20655994	1.86	1	9	0.2059
Roy's Greatest Root	0.20655994	1.86	1	9	0.2059

Multivariate repeated measures analysis of the pain data
Main Effect of Dose Level

10

The REG Procedure
Model: MODEL1
Dependent Variable: dosed1

Number of Observations Read 10
Number of Observations Used 10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	12.55625	1.39514		
Corrected Total	9	12.55625			

Root MSE 1.18116 R-Square 0.0000
Dependent Mean 1.52500 Adj R-Sq 0.0000
Coeff Var 77.45311

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	1.52500	0.37352	4.08	0.0027

Multivariate repeated measures analysis of the pain data
 Main Effect of Dose Level

11

The REG Procedure
 Model: MODEL1
 Dependent Variable: dosed2

Number of Observations Read 10
 Number of Observations Used 10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	13.93125	1.54792		
Corrected Total	9	13.93125			

Root MSE 1.24415 R-Square 0.0000
 Dependent Mean -0.52500 Adj R-Sq 0.0000
 Coeff Var -236.98152

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	-0.52500	0.39344	-1.33	0.2148

Multivariate repeated measures analysis of the pain data
 Main Effect of Dose Level

12

The REG Procedure
 Model: MODEL1
 Multivariate Test: Dose

Multivariate Statistics and Exact F Statistics

S=1 M=0 N=3

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.33765103	7.85	2	8	0.0130
Pillai's Trace	0.66234897	7.85	2	8	0.0130
Hotelling-Lawley Trace	1.96163760	7.85	2	8	0.0130
Roy's Greatest Root	1.96163760	7.85	2	8	0.0130

Multivariate repeated measures analysis of the pain data
Drug by Dose Interaction

13

The REG Procedure

Model: MODEL1

Dependent Variable: int1

Number of Observations Read 10
Number of Observations Used 10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	79.02500	8.78056		
Corrected Total	9	79.02500			
Root MSE		2.96320	R-Square	0.0000	
Dependent Mean		-0.65000	Adj R-Sq	0.0000	
Coeff Var		-455.87696			

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	-0.65000	0.93705	-0.69	0.5054

Multivariate repeated measures analysis of the pain data
Drug by Dose Interaction

14

The REG Procedure

Model: MODEL1

Dependent Variable: int2

Number of Observations Read 10
Number of Observations Used 10

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	0	0	.	.	.
Error	9	45.52500	5.05833		
Corrected Total	9	45.52500			
Root MSE		2.24907	R-Square	0.0000	

Dependent Mean	2.15000	Adj R-Sq	0.0000
Coeff Var	104.60809		

Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	2.15000	0.71122	3.02	0.0144

Multivariate Test: Drug_by_Dose

Multivariate Statistics and Exact F Statistics

S=1 M=0 N=3


Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.43171577	5.27	2	8	0.0347
Pillai's Trace	0.56828423	5.27	2	8	0.0347
Hotelling-Lawley Trace	1.31633881	5.27	2	8	0.0347
Roy's Greatest Root	1.31633881	5.27	2	8	0.0347

Multivariate repeated measures analysis of the pain data
Follow up with matched t-tests

16

The MEANS Procedure

Variable	N	Mean	t Value	Pr > t
d12	10	1.2000000	2.01	0.0754
d13	10	1.7500000	1.89	0.0913
d14	10	-0.1000000	-0.13	0.9005
d15	10	1.7500000	2.84	0.0193
d16	10	0.1500000	0.20	0.8427
d23	10	0.5500000	1.04	0.3260
d24	10	-1.3000000	-2.98	0.0154
d25	10	0.5500000	1.56	0.1538
d26	10	-1.0500000	-1.72	0.1204
d34	10	-1.8500000	-3.51	0.0066
d35	10	0	0.00	1.0000
d36	10	-1.6000000	-2.14	0.0612
d45	10	1.8500000	3.08	0.0132
d46	10	0.2500000	0.33	0.7477
d56	10	-1.6000000	-3.01	0.0147
int1	10	-0.6500000	-0.69	0.5054
int2	10	2.1500000	3.02	0.0144
int3	10	1.5000000	1.13	0.2890



P-values for pairwise difference tests (unadjusted)

Drug	Dose	Drug 1			Drug 2		
		Dose 1	Dose 2	Dose 3	Dose 1	Dose 2	Dose 3
1	1		0.0754	0.0913	0.9005	0.0193	0.8427
1	2			0.3260	0.0154	0.1538	0.1204
1	3				0.0066	1.0000	0.0612
2	1					0.0132	0.7477
2	2						0.0147
2	3						

But note: $0.0066 * 15 = 0.099$

Multivariate repeated measures analysis of the pain data
Two-factor within cases the easy way

17

The GLM Procedure

Number of Observations Read	10
Number of Observations Used	10

Multivariate repeated measures analysis of the pain data
Two-factor within cases the easy way

18

The GLM Procedure

Dependent Variable: pain1

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	384.4000000	384.4000000	106.12	<.0001
Error	9	32.6000000	3.6222222		
Uncorrected Total	10	417.0000000			

R-Square	Coeff Var	Root MSE	pain1 Mean
0.000000	30.69699	1.903214	6.200000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	384.4000000	384.4000000	106.12	<.0001
Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	384.4000000	384.4000000	106.12	<.0001

Parameter	Estimate	Standard Error	t Value	Pr > t
Intercept	6.200000000	0.60184900	10.30	<.0001

Multivariate repeated measures analysis of the pain data
Two-factor within cases the easy way
The GLM Procedure

19

Dependent Variable: pain2

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	250.0000000	250.0000000	67.16	<.0001
Error	9	33.5000000	3.7222222		
Uncorrected Total	10	283.5000000			

R-Square	Coeff Var	Root MSE	pain2 Mean
0.000000	38.58612	1.929306	5.000000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	250.0000000	250.0000000	67.16	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	250.0000000	250.0000000	67.16	<.0001

Parameter	Estimate	Standard Error	t Value	Pr > t
Intercept	5.000000000	0.61010017	8.20	<.0001

Dependent Variable: pain3

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	198.0250000	198.0250000	28.64	0.0005
Error	9	62.2250000	6.9138889		
Uncorrected Total	10	260.2500000			

R-Square	Coeff Var	Root MSE	pain3 Mean
0.000000	59.08826	2.629427	4.450000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	198.0250000	198.0250000	28.64	0.0005

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	198.0250000	198.0250000	28.64	0.0005

Intercept	1	198.0250000	198.0250000	28.64	0.0005
Parameter		Estimate	Standard Error	t Value	Pr > t
Intercept		4.450000000	0.83149798	5.35	0.0005

Dependent Variable: pain4

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	396.9000000	396.9000000	124.90	<.0001
Error	9	28.6000000	3.1777778		
Uncorrected Total	10	425.5000000			

R-Square	Coeff Var	Root MSE	pain4 Mean
0.000000	28.29575	1.782632	6.300000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	396.9000000	396.9000000	124.90	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	396.9000000	396.9000000	124.90	<.0001

Parameter	Estimate	Standard Error	t Value	Pr > t
Intercept	6.300000000	0.56371782	11.18	<.0001

Dependent Variable: pain5

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	198.0250000	198.0250000	43.76	<.0001
Error	9	40.7250000	4.5250000		
Uncorrected Total	10	238.7500000			

R-Square	Coeff Var	Root MSE	pain5 Mean

0.000000 47.80235 2.127205 4.450000

Source DF Type I SS Mean Square F Value Pr > F

Intercept 1 198.0250000 198.0250000 43.76 <.0001

Source DF Type III SS Mean Square F Value Pr > F

Intercept 1 198.0250000 198.0250000 43.76 <.0001

Parameter	Estimate	Standard Error	t Value	Pr > t
Intercept	4.450000000	0.67268120	6.62	<.0001

Dependent Variable: pain6

Source DF Sum of Squares Mean Square F Value Pr > F

Model 1 366.0250000 366.0250000 110.82 <.0001

Error 9 29.7250000 3.3027778

Uncorrected Total 10 395.7500000

R-Square	Coeff Var	Root MSE	pain6 Mean
0.000000	30.03892	1.817355	6.050000

Source DF Type I SS Mean Square F Value Pr > F

Intercept 1 366.0250000 366.0250000 110.82 <.0001

Source DF Type III SS Mean Square F Value Pr > F

Intercept 1 366.0250000 366.0250000 110.82 <.0001

Parameter	Estimate	Standard Error	t Value	Pr > t
Intercept	6.050000000	0.57469799	10.53	<.0001

Multivariate repeated measures analysis of the pain data
Two-factor within cases the easy way

24

The GLM Procedure
Repeated Measures Analysis of Variance

Repeated Measures Level Information

Dependent Variable	pain1	pain2	pain3	pain4	pain5	pain6
Level of Drug	1	1	1	2	2	2
Level of Dosage	1	2	3	1	2	3

MANOVA Test Criteria and Exact F Statistics
for the Hypothesis of no Drug Effect
H = Type III SSCP Matrix for Drug
E = Error SSCP Matrix

S=1 M=-0.5 N=3.5

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.82880259	1.86	1	9	0.2059
Pillai's Trace	0.17119741	1.86	1	9	0.2059
Hotelling-Lawley Trace	0.20655994	1.86	1	9	0.2059
Roy's Greatest Root	0.20655994	1.86	1	9	0.2059

MANOVA Test Criteria and Exact F Statistics
for the Hypothesis of no Dosage Effect
H = Type III SSCP Matrix for Dosage
E = Error SSCP Matrix

S=1 M=0 N=3

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.33765103	7.85	2	8	0.0130
Pillai's Trace	0.66234897	7.85	2	8	0.0130
Hotelling-Lawley Trace	1.96163760	7.85	2	8	0.0130
Roy's Greatest Root	1.96163760	7.85	2	8	0.0130

MANOVA Test Criteria and Exact F Statistics
for the Hypothesis of no Drug*Dosage Effect
H = Type III SSCP Matrix for Drug*Dosage
E = Error SSCP Matrix

S=1 M=0 N=3

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.43171577	5.27	2	8	0.0347
Pillai's Trace	0.56828423	5.27	2	8	0.0347
Hotelling-Lawley Trace	1.31633881	5.27	2	8	0.0347
Roy's Greatest Root	1.31633881	5.27	2	8	0.0347

The GLM Procedure

Repeated Measures Analysis of Variance
 Univariate Tests of Hypotheses for Within Subject Effects

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Drug	1	2.20416667	2.20416667	1.86	0.2059
Error(Drug)	9	10.67083333	1.18564815		

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Dosage	2	24.00833333	12.00416667	6.39	0.0080
Error(Dosage)	18	33.82500000	1.87916667		

Source	Adj Pr > F	
	G - G	H - F
Dosage	0.0125	0.0080
Error(Dosage)		

Greenhouse-Geisser Epsilon 0.8400
 Huynh-Feldt Epsilon 1.0110

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Drug*Dosage	2	12.15833333	6.07916667	2.31	0.1278
Error(Drug*Dosage)	18	47.34166667	2.63009259		

Source	Adj Pr > F	
	G - G	H - F
Drug*Dosage	0.1514	0.1463
Error(Drug*Dosage)		

Greenhouse-Geisser Epsilon 0.6621
 Huynh-Feldt Epsilon 0.7323

Multivariate repeated measures analysis of the pain data 26
Two-factor within cases the easy way

The GLM Procedure
Repeated Measures Analysis of Variance
Analysis of Variance of Contrast Variables

Drug_N represents the contrast between the nth level of Drug and the last

Contrast Variable: Drug_1

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	13.22500000	13.22500000	1.86	0.2059
Error	9	64.02500000	7.11388889		

Multivariate repeated measures analysis of the pain data 27
Two-factor within cases the easy way

The GLM Procedure
Repeated Measures Analysis of Variance
Analysis of Variance of Contrast Variables

Dosage_N represents the contrast between the nth level of Dosage and the last

Contrast Variable: Dosage_1

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	40.00000000	40.00000000	3.71	0.0862
Error	9	97.00000000	10.77777778		

Contrast Variable: Dosage_2

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	11.02500000	11.02500000	1.78	0.2148
Error	9	55.72500000	6.19166667		

Multivariate repeated measures analysis of the pain data 28
Two-factor within cases the easy way

The GLM Procedure
Repeated Measures Analysis of Variance
Analysis of Variance of Contrast Variables

Drug_N represents the contrast between the nth level of Drug and the last

Dosage_N represents the contrast between the nth level of Dosage and the last

Contrast Variable: Drug_1*Dosage_1

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	22.5000000	22.5000000	1.27	0.2890
Error	9	159.5000000	17.7222222		

Contrast Variable: Drug_1*Dosage_2

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	46.22500000	46.22500000	9.14	0.0144
Error	9	45.52500000	5.05833333		

Multivariate repeated measures analysis of the pain data 29
Two-factor within cases the easy way

The GLM Procedure
Repeated Measures Analysis of Variance

Means of Within Subjects Effects

Level of Drug	N	Mean	Std Dev
1	30	5.21666667	2.23098607
2	30	5.60000000	2.02739854

Level of Dosage	N	Mean	Std Dev
1	20	6.25000000	1.79546212
2	20	4.72500000	1.99654307
3	20	5.25000000	2.34801148

Level of Drug	Level of Dosage	N	Mean	Std Dev
1	1	10	6.20000000	1.90321366
1	2	10	5.00000000	1.92930615
1	3	10	4.45000000	2.62942748
2	1	10	6.30000000	1.78263226
2	2	10	4.45000000	2.12720474
2	3	10	6.05000000	1.81735461

Multivariate repeated measures analysis of the pain data 30
Overall test the easy way

The GLM Procedure

Number of Observations Read 10
Number of Observations Used 10

Multivariate repeated measures analysis of the pain data 31
Overall test the easy way

The GLM Procedure

Dependent Variable: pain1

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	384.4000000	384.4000000	106.12	<.0001
Error	9	32.6000000	3.6222222		
Uncorrected Total	10	417.0000000			

R-Square	Coeff Var	Root MSE	pain1 Mean
0.000000	30.69699	1.903214	6.200000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	384.4000000	384.4000000	106.12	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	384.4000000	384.4000000	106.12	<.0001

Parameter	Estimate	Standard Error	t Value	Pr > t
Intercept	6.200000000	0.60184900	10.30	<.0001

Multivariate repeated measures analysis of the pain data 32
Overall test the easy way

The GLM Procedure

Dependent Variable: pain2

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	250.0000000	250.0000000	67.16	<.0001
Error	9	33.5000000	3.7222222		
Uncorrected Total	10	283.5000000			
	R-Square	Coeff Var	Root MSE	pain2 Mean	
	0.000000	38.58612	1.929306	5.000000	
Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	250.0000000	250.0000000	67.16	<.0001
Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	250.0000000	250.0000000	67.16	<.0001
Parameter	Estimate	Standard Error	t Value	Pr > t	
Intercept	5.000000000	0.61010017	8.20	<.0001	

Dependent Variable: pain3

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	198.0250000	198.0250000	28.64	0.0005
Error	9	62.2250000	6.9138889		
Uncorrected Total	10	260.2500000			
	R-Square	Coeff Var	Root MSE	pain3 Mean	
	0.000000	59.08826	2.629427	4.450000	
Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	198.0250000	198.0250000	28.64	0.0005
Source	DF	Type III SS	Mean Square	F Value	Pr > F

Intercept	1	198.0250000	198.0250000	28.64	0.0005
Parameter		Estimate	Standard Error	t Value	Pr > t
Intercept		4.450000000	0.83149798	5.35	0.0005

Multivariate repeated measures analysis of the pain data 34
Overall test the easy way

The GLM Procedure

Dependent Variable: pain4

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	396.9000000	396.9000000	124.90	<.0001
Error	9	28.6000000	3.1777778		
Uncorrected Total	10	425.5000000			

R-Square	Coeff Var	Root MSE	pain4 Mean
0.000000	28.29575	1.782632	6.300000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	396.9000000	396.9000000	124.90	<.0001
Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	396.9000000	396.9000000	124.90	<.0001

Parameter	Estimate	Standard Error	t Value	Pr > t
Intercept	6.300000000	0.56371782	11.18	<.0001

Dependent Variable: pain5

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	198.0250000	198.0250000	43.76	<.0001
Error	9	40.7250000	4.5250000		
Uncorrected Total	10	238.7500000			

R-Square	Coeff Var	Root MSE	pain5 Mean		
0.000000	47.80235	2.127205	4.450000		
Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	198.0250000	198.0250000	43.76	<.0001
Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	198.0250000	198.0250000	43.76	<.0001
Parameter	Estimate	Standard Error	t Value	Pr > t	
Intercept	4.450000000	0.67268120	6.62	<.0001	

Dependent Variable: pain6

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	366.0250000	366.0250000	110.82	<.0001
Error	9	29.7250000	3.3027778		
Uncorrected Total	10	395.7500000			
R-Square	Coeff Var	Root MSE	pain6 Mean		
0.000000	30.03892	1.817355	6.050000		
Source	DF	Type I SS	Mean Square	F Value	Pr > F
Intercept	1	366.0250000	366.0250000	110.82	<.0001
Source	DF	Type III SS	Mean Square	F Value	Pr > F
Intercept	1	366.0250000	366.0250000	110.82	<.0001
Parameter	Estimate	Standard Error	t Value	Pr > t	
Intercept	6.050000000	0.57469799	10.53	<.0001	

Multivariate repeated measures analysis of the pain data 37
Overall test the easy way

The GLM Procedure
Repeated Measures Analysis of Variance

Repeated Measures Level Information

Dependent Variable	pain1	pain2	pain3	pain4	pain5	pain6
Level of treatment	1	2	3	4	5	6

MANOVA Test Criteria and Exact F Statistics
for the Hypothesis of no treatment Effect
H = Type III SSCP Matrix for treatment
E = Error SSCP Matrix

S=1 M=1.5 N=1.5

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.26024160	2.84	5	5	0.1381
Pillai's Trace	0.73975840	2.84	5	5	0.1381
Hotelling-Lawley Trace	2.84258317	2.84	5	5	0.1381
Roy's Greatest Root	2.84258317	2.84	5	5	0.1381

Multivariate repeated measures analysis of the pain data 38
Overall test the easy way

The GLM Procedure
Repeated Measures Analysis of Variance
Univariate Tests of Hypotheses for Within Subject Effects

Source	DF	Type III SS	Mean Square	F Value	Pr > F
treatment	5	38.37083333	7.67416667	3.76	0.0063
Error(treatment)	45	91.83750000	2.04083333		

Source	Adj Pr > F	
	G - G	H - F
treatment	0.0207	0.0064
Error(treatment)		

Greenhouse-Geisser Epsilon 0.6243
Huynh-Feldt Epsilon 0.9940

The GLM Procedure
Repeated Measures Analysis of Variance
Analysis of Variance of Contrast Variables

treatment_N represents the contrast between the nth level of treatment and the last

Contrast Variable: treatment_1

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	0.22500000	0.22500000	0.04	0.8427
Error	9	48.52500000	5.39166667		

Contrast Variable: treatment_2

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	11.02500000	11.02500000	2.94	0.1204
Error	9	33.72500000	3.74722222		

Contrast Variable: treatment_3

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	25.60000000	25.60000000	4.57	0.0612
Error	9	50.40000000	5.60000000		

Contrast Variable: treatment_4

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	0.62500000	0.62500000	0.11	0.7477
Error	9	51.12500000	5.68055556		

Contrast Variable: treatment_5

Source	DF	Type III SS	Mean Square	F Value	Pr > F
Mean	1	25.60000000	25.60000000	9.07	0.0147
Error	9	25.40000000	2.82222222		

Multivariate repeated measures analysis of the pain data
Overall test the easy way

40

The GLM Procedure
Repeated Measures Analysis of Variance

Means of Within Subjects Effects

Level of treatment	N	Mean	Std Dev
1	10	6.20000000	1.90321366
2	10	5.00000000	1.92930615
3	10	4.45000000	2.62942748
4	10	6.30000000	1.78263226
5	10	4.45000000	2.12720474
6	10	6.05000000	1.81735461